Hylomorph | PRIMA

Image-based home-monitoring for the early detection of post surgical infection with Al

Simone Bottan

Wednesday 13 November 2024





CRM infection: key numbers...

Cardiovascular Round Table

1.7-5.6%

Incidence in low-high risk patients.

Real-world evidence data.

4 in 5

Medicare patients with infection not treated per guidelines

57%

Higher risk of death when not timely treated



CLINICAL RESEARCH

REducing INFectiOns thRough Cardiac device Envelope: insight from real world data. The REINFORCE project

Matteo Ziacchi ¹*, Mauro Biffi ¹, Saverio Iacopino ², Michele di Silvestro ³, Procolo Marchese ⁴, Francesca Miscio ⁵, Vincenzo Paolo Caccavo ⁶, Gabriele Zanotto ⁷, Luca Tomasi ⁸, Antonio Dello Russo ⁹, Luca Donazzan ¹⁰, and Giuseppe Boriani ¹¹

ACC.22 Late-Breaking Clinical Trial

Low Rates of Guideline Directed Care Associated with Higher Mortality in Patients With Infected CIEDs

Sean D. Pokorney, Lindsay Zepel, Melissa A. Greiner, Vance G. Fowler, Jr., Eric Black-Maier, Robert K. Lewis, Donald D. Healand. Christopher B. Granger, Laurence M. Epstein, Roger G. Carrillo, Bruce L. Wilkoff, Chantelle Hardy, Jonathan P. Piccini

JAMA Cardiology | Original Investigation

Lead Extraction and Mortality Among Patients With Cardiac Implanted Electronic Device Infection

Sean D. Pokorney, MD; Lindsay Zepel, MS; Melissa A. Greiner, MS; Vance G. Fowler Jr, MD, MHS; Eric Black-Maier, MD; Robert K. Lewis, MD, PhD; Donald D. Hegland, MD; Christopher B. Granger, MD; Laurence M. Epstein, MD; Roger G. Carrillo, MD; Bruce L. Wilkoff, MD; Chantelle Hardy, MPH; Jonathan P. Piccini, MD, MHS




Cardiovascular Round Table

VESTA | bioresorbable antibacterial envelope

Modular, tailored, local, sustained drug delivery.
Where needed, when needed.

- Antibacterial above MIC for >7 days
- Resorbs in 3 months

"What about those patients who still develop an infection?"





Early detection & action are critical to patient survival

Cardiovascular Round Table




11 01	11		0001
Hui-Chen	Han et al.	Furonace	2021

Wait time to extraction			Mortality
>30 days		32.5%	
7-30 days		23.6%	
<6 days		18.6%	
33% 30% 27% 24% 21% 18%		7.00	
	<6 days	7-30 days	>30 days

Pokorney et al, JAMA Card 2023

PRIMA

Image-based
home monitoring
for the early detection
of infection
with AI






Cardiovascular Round Table


















Al workflow & training: doctors' central role







Cross-Functional Endeavor

Cardiovascular Round Table

Hylomorph



Simone Bottan
CEO & co-founder
15 years in Medtech, former Pioneer Fellow ETH,
Project Leader Wyss Zurich, Venturekick award



Aldo FerrariCSO & co-founder
20+ years in Metdech, former lecturer ETH,
Author 50+ peer reviewed scientific papers



Francesco Robotti
COO & co-founder
12 years in Medtech, PhD ETH Zurich,
Co-developed Hylomorph tech



Sebastian Cavalli
CRQO
15 years in Regulatory & Quality Medtech,
former RQ at Geistlich Pharma





Alexander Breitenstein





Mauro Biffi
POLICLINICO DI
SANT'ORSOLA



ΑI



Prof Ender Konukoglu



10x



The benefit at scale in Cardiac Rhythm

CRM	Patients/year	Infections	Deaths
Global	2 million	34k-112k	6.4k-29k
EU	500k	8.5k-28k	1.6k-7.3k
Avg Center	300	5-17	1-5

The potential upside

